



Aimco Uryu

Garanti: 12 ay
Bu ürüne ait Türkiye içi kapı teslim fiyat ve teslim süresi içeren teklifimizi almak için **info@yursat.com.tr** e-posta adresine başvuru yapabilir ya da ayrıntılı bilgi için +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaşabilirsiniz.

Aimco Uryu Markası, tedarik süresi için lütfen bizimle iletişime geçiniz.

Firmamız Aimco Uryu Türkiye Distribütörü veya temsilcisi değildir. Firmamız sipariş durumunda, belirtilen ürünlerde sadece Orjinal ve yeni ürün teklifi sunmaktadır. Bu sitede gösterilen Özel marka adları ve ticari markalar ilgili sahiplerinin mülkiyetindedir, talep durumunda kaldırılmaktadır.

Ürün	Açıklama
Ult-90(Uryu)	PULSE TOOL PISTOL
T70s	INLINE PULSE SCREWDRIVER
Uw-61ek(965t4)	IMPACT OIL BATH 3/8 SQ DR
A-50arbt-1.7	SCREW PRESENTER 2/SECOND 1.7MM SIZE
Ud-80-04g-Assy	DRILL PNEUMATIC INLINE GRIP
Ult40d	SHUTOFF PULSE TOOL
Rh-200	HAMMER ONE SHOT
Atc-250	TORQUE CUBE, AUDITOR
Auet/Mtm-1000-1600	TORQUE TESTER UNIVERSAL
Uw-6sslk	WRENCH IMPACT PNEUMATIC INLINE
Uw-381p	IMPACT WRENCH 1SQ DRIVE
Uw-6slrdk	WRENCH IMPACT PNEUMATIC PISTOL

Atda-Dc	TORQUE ANALYZER, PORTABLE
Adw-10	DIGITAL TORQUE WRENCH AUDITOR
Urw12nb-21-18m-0	RATCHET 1 5/16X18
Ae-5681esd	TOOLS, SCREWDRIVER, OVERALL LENGTH:237MM, LEADED PROCESS COMPATIBLE:NO, PEAK REFLOW COMPATIBLE (260 C):NO, SCREWDRIVER TYPE:TORX, ROHS COMPLIANT: NO
5118	GRINDER ANGLE GENERAL DUTY
Ug-65eb	GRINDER REAR EXHAUST SLEEVE
Udbp-T70	BATTERY PULSE TOOL 3/8 SQ DR
Adt-Ptm-52-500-F	PNUETORQUE PTM 52 SERIES
Atc-25	TORQUE CUBE, AUDITOR
Urw-12na	WRENCH RATCHET PNEUMATIC
Atc-10	TORQUE CUBE, AUDITOR
Aa55tpr	METRIC:6.35MM, OVERALL LENGTH:180MM, PEAK REFLOW COMPATIBLE (260 C):NO, LEADED PROCESS COMPATIBLE:NO, ROHS COMPLIAN
Ut-66b-15-Assy	TAPPER PNEUMATIC
3466-16	BEVEL GEAR SET
Us-Lt40b-08	SCREWDRIVER INLINE PNEUMATIC
Uag-50sbl-120	ANGLE GRINDER 5 PAD
Aa60tpr	METRIC:6.35MM, OVERALL LENGTH:180MM, PEAK REFLOW COMPATIBLE (260 C):NO, LEADED PROCESS COMPATIBLE:NO, ROHS COMPLIAN
Uam-5008	AIR MOTOR GEAR REDUCER
Us-Lt20b-10	SCREWDRIVER INLINE PNEUMATIC
Adt-Ptm-72-2000-B	STALL TYPE BI-DIRECTIONAL
Amtl-1001	LOADER TORQUE WRENCH
Ls4278	BARCODE SCANNER KIT WIRELESS
Atda-D	AUDITOR TORQUE DATA ANALYZER -
Att01110vkir	TESTER, TORQUE, 0 TO 1N-M, 5%, TORQUE RANGE N-M:0 TO 1, TORQUE RANGE FT-LB:0IN-LB TO 8.8IN-LB, ACCURACY %:5%, ACCURACY:+/- 5%, SUPPLY VOLTAGE:110V, NO
Udbp-T60(P)-B	UDBP-T60(P) BATTERY PULSE TOOL
Auet/Mtm-50-250dc	TORQUE TESTER UNIVERSAL

Us-Lt30bl-17	SCREWDRIVER INLINE PNEUMATIC
A100-4b2-R	ACRA FEED UNIT REFURBISHED
2550	WRENCH IMPACT D HANDLE
Itv3050-40n4bl4	SMC VALVE
A100-6b1-R	ACRA FEED UNIT REFURBISHED
A-50c-8	SCREW PRESENTER SYSTEM
A24125	METRIC:125MM, LENGTH:5.906, LEADED PROCESS COMPATIBLE:NO, PEAK REFLOW COMPATIBLE (260 C):NO, ROHS COMPLIA
Uw-381	WRENCH IMPACT SHORT
Auet/Mtm-10-100	TORQUE TESTER UNIVERSAL
Us-Lt50b-08(09yt1)	CUSTOM TOOL ANGLE HEAD TOOL
Us-Lt30b-17	SCREW DRIVER INLINE PNEUMATIC
Ult-130(098t5)	ULT-130 LH ROTATION PULSE
Auet/Mtm-50-500	TORQUE TESTER UNIVERSAL
Atc-0100	TORQUE CUBE, AUDITOR
Aa50tpr	METRIC:6.35MM, OVERALL LENGTH:180MM, PEAK REFLOW COMPATIBLE (260 C):NO, LEADED PROCESS COMPATIBLE:NO, ROHS COMPLIAN
Att-01-110vkircal	TESTER, TORQUE, 0 TO 1N-M, 5%, TORQUE RANGE N-M:0N-M TO 1N-M, TORQUE RANGE FT-L
Atm-Ht15-25/1-1000	MULTIPLIER
Ahcts-1000	TEST STAND,1355NM HIGH CAPACTY
Spc-P-12	SIGNATURE PISTOL CORDLESS
Aa45tpr	TOOLS
Ud-60-07	DRILL PNEUMATIC PISTOL
Us-Lt50b-17	SCREWDRIVER INLINE PNEUMATIC
Urd-22rr	DRILL ROTARY
A1685	SOCKET
Ult-180	PULSE SHUT OFF TOOL
Us-Lt40bl-15	SCREWDRIVER INLINE PNEUMATIC
Spc-P-6	PISTOL SIGNATURE CORDLESS
Ult-60s	PULSE TOOL PNEUMATIC INLINE

Td-1000r	TORQUE MULTIPLIER ANTI-BACK
A-50a-0	SCREW PRESENTER SYSTEM
Aroilfilterwren	AR OIL FILTER WRENCH KAIZEN
Fc-Xxffmp-5-E020	CABLE, CONTINUOUS FLEX ENCODER
Us-Lt30b-11	SCREWDRIVER 5/32IN SCREW 9.7-18.5IN/LBS 1100RPM
Att-01-110vkircaldu	TESTER, TORQUE, 0 TO 1N-M, 5%, TORQUE RANGE N-M:0N-M TO 1N-M, TORQUE RANGE FT-L
Adw-75-Dc-Bc	DIGITAL WRENCH AUDITOR
Ad-D1098-S	TOOLS, LOAD CAPACITY:3LB, FEATURES:SINGLE ARM DESIGN ALLOWS OPERATOR CONTROL AND REDUCES FATIGUE, ARM SWIVEL TOOLING ALLOWS FOR MAXIMUM ROTATION OF TO
Ds3478-Sf20005www	WIRELESS BARCODE SCANNER