

Flexicon

Garanti: 12 ay
Bu rne ait Trkiye ii kapı teslim fiyat ve teslim sresi ieren teklifimizi almak iin **info@yursat.com.tr** e-posta adresine bařvuru yapabilir ya da ayrıntılı bilgi iin +90 224 240 03 04 numaralı telefonumuzdan bizlere ulařabilirsiniz.
Flexicon Markası, tedarik sresi iin ltfen bizimle iletiřime geiniz.

Firmamız Flexicon Trkiye Distribtr veya temsilcisi deęildir. Firmamız sipariř durumunda, belirtilen rnlerde sadece Orjinal ve yeni rn teklifi sunmaktadır. Bu sitede gsterilen zel marka adları ve ticari markalar ilgili sahiplerinin mlkiyetindedir, talep durumunda kaldırılmaktadır.



rn	Aıklama
B-M20	
B-M20-M25	
B-M25-M32	
B-M32-M40	
FCC16	
FCC25	
FCL34B (1 pack - 10 pcs.)	
FPADS54B-25M (Roll = 25M)	
FPAL16B-50M	
FPAX16-M16B (1 pack - 10 pcs.)	
FSU10	
FSU12	

FSU12-M16	
FSU16-M20	
FSU20B-25M	
FSU32	
FW 12 (1 pack - 100 pcs.)	
FW 20 (1 pack - 50 pcs.)	
FW 32 (1 pack - 10 pcs.)	
FW 40 (1 pack - 10 pcs.)	
LTP/LTPAS	
LTP20B-10M	
LTP20B-25m	
LTP25-M25-EXD	
LTPAS25B-25m	
LTPHC20B-25m	
LTPHC25B-25m	
LTPLFH25B-25m	
LTPPUAS20B-25M	
LTPSS20B-25M	
LTPUL20B-25M	
PG29-NB	
RT5500	
61006520	Accesories COUNTER NUT Msg.vern./M20x1.5 Packing unit: 100
FSU32B-25M	Flexicon FSU32B-25M CONDUIT / PVC COATING / BLACK GALV. STEEL/32/25m Packing unit: 1
FSU20B-25M	Flexicon FSU20B-25M CONDUIT / PVC COATING / BLACK GALV. STEEL/20/25m Packing unit: 1
FSU16B-25M	Flexicon FSU16B-25M CONDUIT / PVC COATING / BACK GALV. STEEL/16/25m Packing unit: 1
99999996	FSU32-M32-S ROTARY GEAR
99999996	FSU32-PG29-S ROTARY GEAR
99999996	FSU20-PG16-S ROTARY GEAR

FSU20-M20-S	Flexicon FSU20-M20-S CONDUIT FITTING SWIVEL BRASS, NP/20/M20 Packing unit: 10
999999996	FSU16-M20-S ROTARY GEAR
FSU16-M16-S	Flexicon FSU16-M16-S CONDUIT FITTING SWIVEL BRASS, NP/16/M16 Packing unit: 10
999999996	FSU16-PG11-S ROTARY GEAR
FSU16-M16-M	Flexicon FSU16-M16-M CONDUIT FITTING BRASS, NP/16/M16 Packing unit: 10
FSU25-M25-M	Flexicon FSU25-M25-M CONDUIT FITTING BRASS, NP/25/M25 Packing unit: 10
FB16-25M	Galvanised Steel Overbraided Galvanised Steel Cond. 16mm Dia.
FB20-25M	Galvanised Steel Overbraided Galvanised Steel Cond. 20mm Dia.
FB25-25M	Galvanised Steel Overbraided Galvanised Steel Cond. 25mm Dia.
FB32-25M	Galvanised Steel Overbraided Galvanised Steel Cond. 32mm Dia.
FB40-10M	Galvanised Steel Overbraided Galvanised Steel Cond. 40mm Dia.
Flexicon FCL21B-P	Hinged Lidded Clip Plain Cond. / Black PA6.6/21
Fcl28b	Conduit Clip with integral lid / Black PA6.6/28
B-M25	
Fsu 16-M16-S	
Bm 90-25m	
Adk-02	
Ltppuas20b-25m 25m Coil	
Ltp20-M20-Exd	
Fpa34-Flb	
Fcc40	
Ltp25b-50m	
Fcc20	
Fpax28-Pg21b	
Fcl34b	Conduit Clip with integral lid / Black PA6.6/34
Fs10	

Fpa42-Flb	
Flexfeed15	
Fcl10b	
Fw16	sealing washers metric fibre face
Fw25	sealing washers metric fibre face
Barrier Compound For Ltp20-M20-Exd Do Not Sell This Separately	
Fsu-16b	
Fpa28-Pg21b	
Fcc32	
Fcc12	
Fpads28b-50m	
Bm 90-16m	
B-M16	
Fpa28-Flb	
Fpa28-Bm25	
Fw20	sealing washers metric fibre face
Fw40	sealing washers metric fibre face
Fcl-16	
Flexfeed 30	
B-050-M20	
Fw12	sealing washers metric fibre face
Fpax16-M16b	type FPAX metric - nylon straight external - IP69
Ltp25-M25-C90	
Fs32	
Fpas16or-50m	
Fcc50	
Fpads42b-25m	
Fc32	
Fc10	
Fw32	sealing washers metric fibre face

Fsu 25-M25-S	
Fcl21b	Conduit Clip with integral lid / Black PA6.6/21
Fpas21or-50m	
Fpads34b-25m	