

Itron

Garanti: 12 ay
 Bu rne ait Trkiye ii kapı teslim fiyat ve teslim sresi ieren teklifimizi almak iin info@yursat.com.tr e-posta adresine bařvuru yapabilir ya da ayrıntılı bilgi iin +90 224 240 03 04 numaralı telefonumuzdan bizlere ulařabilirsiniz.
Itron Markası, tedarik sresi iin ltfen bizimle iletiřime geiniz.

Firmamız Itron Trkiye Distribtr veya temsilcisi deėildir. Firmamız sipariř durumunda, belirtilen rnlerde sadece Orjinal ve yeni rn teklifi sunmaktadır. Bu sitede gsterilen zel marka adları ve ticari markalar ilgili sahiplerinin mlkiyetindedir, talep durumunda kaldırılmaktadır.



rn	Aıklama
H4864	Rotary piston gas meter G160 DN 80 DELTA Silver Edition no HTB version Nominal width: DN 80 Pressure rating: PN20 Connection: Flange according to ANSI 150 Max. working pressure: 19.3 bar Overall length: 171 mm Material: aluminum Type of gas: according to DVGW worksheet G260 Direction of reading: reading from the front Flow direction: freely selectable** prepared for 2 immersion sleeves L4 (**Please specify flow direction when using immersion sleeves) Measuring range: 1:20 (max. possible measuring range 1:160 - available at extra cost) Pulse generator: 2x NF pulse generator + anti-tampering contact Pulse value: 0.1 cbm/pulse Connector: Binder male 2x PR nozzle Ermeto EO 6S Operating temperature: -25°C to +55°C (according to MID) Paint finish: none PTB approval no. DE-17-MI002-PTB001 No. MID tested
G1000	extended measuring range for DKZ Delta to 1:160
H0207	Start-up sieve for DKZ DN 80 flat
001.018.018	
033 DN50	
10179608	
111E200-15	
111E200-15 /	
111E200-20	

111E500-02
111E500-02 /
115Å600-11
115Å700-10
115Å700-11
131E200-51
133-5-72
135E200-01
147E100-02
147E100-02 /
16-50-31-8N-033
223-12-5-72
233-12-5-72
233-12-5-72 DN 50
233-8-4-72
244-12-5-72
2441272
ACE SL7000 tipo 762
ACE681B004A
AIMS7000
AQU20
AQU25
BG SAV I RR16 DN 25/ 50033-4
CORUS PTZ, 0.9 – 10 bar
DC 200216A
DCL33007A72773
FG1611A1
FLUXI 2000/TZ 250 G1600 DN 250 PN16
Fluxi 2000/TZ
For 133-5-72
For Actaris
H0559
H2410
H3182
H3667
H4157

ÖZ80 G160	
RB2311/12/TR	
RR 16-50-54-8N-SSV033	
RR16-50-31-8N-033	
SL 761 2/3	
SL 761 2/3 AA/S	
TZ-G650	
UNIMAG QN =1.5M/H,DN15	
WOLTEX-M 1000-300-500-PN16	
WOLTEX-M 100-100-250-PN16	
WOLTEX-M 400-200-350-PN16	
WOLTEX-M 60-80-200-PN16	
H3305	WMZ CF-E-II Qp3.5 DN 25 TDF27, 1 1/4"x 260mm No. Including fixed fee conformity assessment
H3794	WMZ CF-E-II Qp 10.0 Thread, length 200mm, TDF38, DN 40 No. Including fixed fee conformity assessment
H3466	Option card RF battery / 2 water meters
H2233	Calculator CF 55 10L/Imp. PT100 battery version Including fixed fee conformity assessment
H2034	WMZ CF-E-II Qp 6.0 DN 25 TDF27, 1 1/4"x260 No. Including fixed fee conformity assessment
H2858	Battery CF-E II for calculator CF51/55 big pack
Flowmeter VOLUMETRIC,	,[DELTRA SILVER EDITION G160/ITRON],GAS,19.3 BAR,80D,FLANGE,QMAX 250M3/H,ALUMINIUM,0.4 M3/H ~ 250 M3/H
SL761X tipi, Cl.:0.5s	
MTS 60 DN 50 ACTARIS	Q MAX 60 M3/H. Q MİN 6 M3/H. P MAX 16 BAR. (GAS)
G1550	Turbine wheel gas meter G1000 DN 150 Fluxi 2000 Nominal width: DN 150 Pressure rating: PN16 Connection: Flange according to DIN Overall length: 450 mm Material: ductile iron Type of gas: according to DVGW worksheet G260 Direction of reading: reading from the front Flow direction: freely selectable prepared for 2 immersion sleeves (when equipped with immersion sleeves flow direction please specify) Measuring range: 1:20 (max. possible measuring range 1:30 (ND) or 1:50 (HD) available at extra cost) Pulse generator: 2x NF pulse generator + anti- manipulation contact Pulse value: 1 cbm/pulse Connector: Binder male 2x PR nozzle Ermeto EO 6S Type of lubrication: permanently lubricated (Oil pump available at extra cost) Operating temperature: -25°C to +55°C (according to MID) Painting: water-based paint similar to RAL7035 PTB approval no. DE-10-MI002-PTB001 Revision number: 2 No. MID tested
G0917	Quantity gas meter MZ80 DN 80 PN16 Nominal diameter: DN 80 Pressure rating: PN16 Connection: intermediate construction Overall length: 120 mm Material: ductile iron Aluminum turbine wheel Type of gas: according to DVGW worksheet G260 Direction of reading: reading from the front Flow direction: freely selectable** Qmax: 250 m³/h Q min: 10 m³/h 2x NF pulse generator + anti-tampering contact Pulse value: 1 cbm Connector: Binder male Permanently lubricated bearings: yes Oil pump: without Operating temperature: -30°C to +60°C Painting:

KTL coating EC Type Examination Certificate: CE-0085BS5061 No.	
RBE 4732	
758113	
25702008b	
Vvg4415025	
356115	
3314812	
59905952	
Bv2w04ueplnxxhx	
757631	
Mxg4612580u	
27905980	
27003203	
25501120	
Mvl6611510	
Ss5s1t	ELECTRIC METER SENTINEL PACKAGE
59903304	
28303021	
G382001	
Ask732u	
832034	
758157	
25602026	
54456018	
757231	
Fm1-1.5m	2FLGDATTUSMTR,DIGDSPLY 1.5MBTU
59903081	
59901134	
333197	
59910140	
Mz80g160	
28303187	
171a10307	
Gbb1631p	
28303185	

26803275	
333045	
59910250	
28303166	
131-250-50	
3560012	
3312905	
25902010	
762645	
D 09ba000696i	
26803016	
59906054	
171e10318	
28303078	
26803167	
25501124	
Ask711u	
Qam2130040	
25702047	
54024672	
59902066b	
192263	
28303169	
Tshp062-1a1201p	FLOW METER HIGH PRESSURE W/VR PULSE KIT-35
26803176	
25902071	
171c10315	
25802014c	
28106074	
567-353	
951-888-69	
27703023	
761bver -Cl 0,5-X5	
338044	
192228	
24500230	

26803174
A7f30015140
28303005
192851
59908021
Qpa2002d
28303025
59903060
B42r-11/4
59906152
193212
27806041
192868
171g10328
Gnd1211uf
331565
762139
59902064b
1420304
27703077
1880034
Ggd2213u
171a10310
171k10305
59903007
141338
27703200
171j10304
M3fb20lxa
1420436
Qam2020750
141073
192478
59903114
3314512

59910304
Dc200216a2
27705990
59905933
A7f30015146
59906072
Aquadis (35mm)
Gma1641u
59902056
171a10318
27703025
Vxp4510063
Flux/Tz G160
Cyble1
600143-011
26002041
25902076
Qam2032750
28505971
59903055
26002035
59902014c
Dc200216a2 Obsolete With No Replacement
59903346
27403112
25401117
59902061
59903366
25802063c
195082
758169
59900532
192262
171a10302
28305971
59900233

28505980	
171c10303	
171c10313	
27905951	
24300531	
Rdf30u	
762361	
59903149	
3561006	
59903175	
3314314	
27705981	
59902941	
Ark11	
Fm3-11m	4FLG DATTUSMTR W/DIG DISPLAY
269062	
M3p80fy	
758407	
173c10310	
Unimag Cyble Dy 15 Mm	
Ask714	
54456260	
Cid-30-4p	
188159	
171g10321	
59906042	
29405964	
59910149	
8320490	
28505981	
59903399	
59903397	
758107	
28705973	
59902012	
59910264	

Qac2030u
Ace6000
26102031
59902032
27703186
192261
59910102
27703134
757225
24100210
24200232
59910129
Mxg461b205
3312909
59903361
Ask719
192255
171a10315
24300211
171b10327
Gma1631u
3312858
28303188
6560021
28306161
25802069
59902030c
24200213
26002008
59903388
171b10328
Gap1911p
59902027
171c10317
59906050

59903080	
25802012c	
28303056	
59905973	
171a10314	
Fm1-3m	2DATTUSMTR,2FLG,DIG.DISPLAY
24000212	
10la339199	
Asc93du	
59902069b	
Qam2032010	
658379	
29105940	
25702010b	
28303162	
27606161	
26803206	
59906061	
2691069	
Qam2020500	
29406164	
Bv3w10ueplcxxhx	
758160	
7mf15654ca105ea1	
333072	
Mvf461h1515	
24200532	
59910255	
Gqd2211u	
25702060	
59901108	
171k10308	
800a	1 1/2 GAS METER
173c10313	
59905950	
171b10326	

59900232
29306162
59905991
25501131
25401133
Qfm4171
26803276
192860
171d10326
Mvf461h3212
Qfa3071fwu
59906173
29405984
25902064
656601
59903108
27003202
171h10301
59910138
466857488
26803069
59910323
192731
59902049
59902006b
59903313
59903115
171j10306
762117
59903363
29105960
37103026
Vxg441504
Qad2032u
Gbb1311p

186062
985124
25702000b
59902009c
656831
59901000
Gma1661p
658408
762357
26102021
25602001
27403088
25702058
147104
59906615
59903348
Pw-459-104
658072
25401139
Vvf6124
59905982
Bv2w03fe2lnxxxx
544483a
762673
13-Vpz-120600
27003132
59903086
333139
762123
27403188
761bver-Ci 0,5-X5
59903133
59910109
Dc200216a2 5bb Obsolete
757219
24500232

25501110
59902054
171a10316
25702067b
59902015
762358
26202036
26402068
29406168
192267
27905991
331434a
59903369
6580012
Qpa2060d
26803004
3314313
Unimag Qn =1.5m/H,Dn15,Hot Water
Cu40026-Tw-200a
27603205
Qam2037045
587455
59902008c
59903120
171j10308
27403016
Corrector For Gas T ; And P Corus Ptz, 0.9 - 10 Bar
28105964
192732
59903312
25501134
59903113
59905020
786129
59903319

59903303	
Unimag Qn =1.5m/H,Dn15	
59903124	
3312912	
26002017	
27905990	
Rb1720	1 1/2NPT,1.7-5.3#SPRNG REGLTR
3314814	
Gib1361p	
59906177	
590510	
28306041	
59910121	
Rab301u	
26903202	
Geb1611u	
59901060	
Dc200216a2 5cb Abgekundigt - Ohne Ersatz/ Discontinued - No Replacemet	
1840006	
Bv2w04fd6lnxxxx	
59902008b	
24000532	
Pw-899-101	
Pw-902-101	
2430009	
59905951	
Qae2112010	
26803274	
59903118	
27403131	
171g10313	
24100213	
59910104	
25702038	
53676760	

762137	
27803077	
2651003	
171e10266	
28303024	
24400231	
3561005	
171e10317	
192840w	
Vxg443216	
28303055	
59902016	
29206043	
171c10311	
B42r-3/4-Drk-Green	
192225	
567453	
27806050	
59902039c	
25802008c	
59910310	
Mz Dn200	
59903301	
26803061	
28303203	
59905944	
59909201	
59902072	
25702033	
59901093	
59910146	
171g10312	
171f10321	
Fs-3	HANDHELD COMPUTER 386/25MHZ 2MB RAM 32MB DISK
59903122	
Qae2020005	

27603188
B42r-1/2
33304303
182624
182685
Geb1311p
Asz75135
59910316
59903307
1943142
171k10307
Qae2112015
26202068
59903342
2651005
59903356
Vxg442063u
171h10308
26202067
27703185
59903072
59902055
26502021
59902043
171j10300
Ark16
540652b
27003201
758104
3312917
192785
171g10320
Rab901u
Mvf461h5030w
25702002b
M3p100fy

Gbb1361p	
59902011	
Qfa3000bu	
59906160	
7860610	
1420311	
Qpm2102	
Transmitter Pulse Cyble Sensor K = 1 For Counter Woltrex M	
27403151	
Qfa3071fbu	
59903188	
Dc209h2	
59903163	
28705963	
29406052	
27003183	
25702056	
59903201	
A7f30015145	
192221	
59910314	
25602019	
28105932	
Fluxi Tz G650	
Aqm2000	
53677725	
59906619	
26002051	
184040	
Ix100xmdcc	GOBOOK DOCKING STATION 6POS FOR FC200
59910112	
G25	
Zm101a	
27403215	

24400214
59910328
59909203
6560012
535431a
26402034
59902030
27705971
Mxg4613212u
333184
27403212
59903610
59903067
171e10327
171g10329
333148
Kit Ace Pilot
762671
26803056
3560013
171d10322
762003
59902063
192320
B42r-1
656014
28506130
171a10255
59902058a
27703201
27403132
25702040
Qpa2062d
Asy100
182683
Bv2w10ue2lnxxhx

Qfm2120
1420438
59903273
171f10325
25702001b
1840124
24600534
134117
B34r-2
25802006c
171e10330
59909226
26102037
762119
Aqe2000005
28505970
25702062
Trx-0004-002/0-508t
171f10314
26402070
27403025
Mxg4611506u
54457725
25802004c
27406175
27706041
1942082
Fg1611a1 -Obsolete
27703184
Qam2012750
27705951
1420289
59910143
26803111
192778
Glb1641p

59903207	
59910327	
28105982	
Rb 2000	
25702046	
59902017	
192632	
192250	
27705941	
59910329	
59903387	
Bv2w05ueplnxxhx	
Qae2030010	
333176	
1420344	
27703112	
29005960	
Corus-Vc	
171e10321	
24400210	
25602017	
7421700060	
59910253	
59906060	
26803054	
1840005	
Bv3w08uemlbxxhx	
27703188	
8905d	
28305981	
Qfm3160	
27003206	
Glb1611q	
Fc200sr	HANDHELD COMPUTER DATA COLLECTOR 32OZ 128DRAM 158F
544760a	

192482	
1420262	
25401104	
SI761	
27406161	
59903238	
Trx-0004-002/0	METER READER HAND-HELD 33MHZ
59902074	
59903316	
184115	
3314813	
Bv3w04ug7lcxxx	
59903088	
Fc3-2014-001	
3313002	
28406040	
Metris250tc-20lt	
25802076	
59900534	
59903074	
59910105	
59905920	
171f10317	
28105994	
Qae2032015	
Gib1311p	
Glb1661p	
Qfa3060wu	
27403133	
59910309	
59910147	
27706166	
7mf15654bb005ea1	
171f10316	
171c10314	
192850w	

[59902037](#)[27705930](#)[27403204](#)[3314551](#)[59901137](#)[Qae2032010](#)[29105930](#)[59903315](#)[380024](#)[Mvf461h153](#)[59903159](#)[26803151](#)[26803209](#)[Aims7000](#)[27603187](#)[6580014](#)[Fg914rc1](#)[59906141](#)[26002036](#)[26202061](#)[Bv3w10uemlaxxhx](#)[192842w](#)[656832](#)[171h10306](#)[590507](#)[698047](#)[192526](#)[29406173](#)[Meter Type SI761](#)[25401135](#)[Bv2w06us2lcuxxx](#)[Vmp42132](#)[59903141](#)[59910139](#)[Corus Ptz](#)

25802000c	
SI761-R4 Cl:0,5s	
59902071b	
59901082	
28106043	
171e10319	
6580050	
171c10320	
26803070	
25602011	
757453	
24000514	
658074	
59909212	
Gu256x60-373	
59902021	
28106042	
28505990	
184117	
192633	
59906062	
59906161	
Qap22	
3312966	
426855048	
171a10307s	
59900514	
59902003	
59910262	
59906071	
59906051	
25802073	
29405994	
Aquadis +dn40 ,Body Lenght 300mm	
3314310	
57-0033-003r	ETHERNET RACK

59901104	
3312963	
Fs/2	WATER METER READER 1MG MEM 1M0-H-4410-5R1Y MS-DOS
C1s-G980181	
25802058c	
Dc200216a2 5gb	
29903170	
59903138	
54434318	
25702039	
171f10319	
59903155	
171g10319	
59903281	
28705993	
2651027	
134084	
25501121	
1840125	
59900234	
Vxg444025	
Aquadis +	
25602028	
59910116	
Vvg442510	
59903144	
Qam2161040	
7mf15654bg105ea1	
141092	
27003200	
Unimag Qn=2.5mm/H Dn20 ,Hot Water	
192208	
Bv3w10uepldxxhx	
28705994	
59902079	
59906164	

[172g10323](#)[192220](#)[Sqs8553u](#)[171f10329](#)[59906175](#)[25401132](#)[29405963](#)[28705982](#)[25702044](#)[27703166](#)[Ase2](#)[Aqf3051](#)[24000211](#)[25802065](#)[Qbm3100u10](#)[331674](#)[Dc200216a2 3hb](#)[171e10259](#)[26002021](#)[59900513](#)[Fg-415e6](#)[27406166](#)[26102032](#)[192259](#)[59900510](#)[59906130](#)[59903142](#)[59903371](#)[59903373](#)[656736](#)[184105](#)[151146](#)[27003073](#)[786130](#)[59903161](#)

656766	
59910131	
27003074	
28303184	
Bv3w06ug8ldxxx	
59902041c	
28303168	
26803110	
27403166	
SI761w-R4	
Fc200	HANDHELD COMPUTER DATA COLLECTOR 128MB RAM 512MB F
3313017	
25702037	
192600	
Unimag Qn =2.5m/H Dn20	
59910267	
Qfa3071bu	
59903377	
171d10325	
Qam2012250	
59903180	
26202015	
544023	
59901133	