


Raychem

Garanti: 12 ay
Bu ürüne ait Türkiye içi kapı teslim fiyat ve teslim süresi içeren teklifimizi almak için **info@yursat.com.tr** e-posta adresine başvuru yapılabilir ya da ayrıntılı bilgi için +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaşabilirsiniz.
Raychem Markası, tedarik süresi için lütfen bizimle iletişime geçiniz.

Firmamız Raychem Türkiye Distribütörü veya temsilcisi değildir. Firmamız sipariş durumunda, belirtilen ürünlerde sadece Orjinal ve yeni ürün teklifi sunmaktadır. Bu sitede gösterilen Özel marka adları ve ticari markalar ilgili sahiplerinin mülkiyetindedir, talep durumunda kaldırılmaktadır.



Ürün	Açıklama
Kabelkopf (Set \ Heat Shrinked \ 36 Kv / 1x240 Mm2	INTERNES RAYCHEM 3006678
Kabeltitel \ Intern \ Heat Shrinking \	KUPFERLEITER / SPANNSCHUH / 6-10 KV / 1X240 MM / RAYCHEM 3125239
Kabelkopf (Set) \ Heat Shrinking \ 6-10 Kv /	1X95 MM2 / INTERN 3006672
Kabelkopf (Set) \ Cold Shrinkle \ 36 Kv /	1X240 MM2 / INTERN / 3M 3006673
Kabelkopf (Set) \ Cold Shrinkle / 10kv / 1x240 Mm2	/ 3M: 92-EB63-2 TR 3006653
Kabelkopf (Set) \ Cold Shrinkle \ 6-10 Kv /	1X95 MM2 / INTERN / 3M 3006675
MXSU-6121	Connection sleeve, 30kV, with screw connector for 1L plastic cable 70-150 mm² A29218-005
EMKJ-2201	8006384 STRAIGHT THROUGH JOINTS FOR FLEXIBLE CABLE, SCREENED 3-CORE / 3 EARTH CORE WITH/WITHOUT METAL SHIELD 25/10 - 95/16 mm² 6 kV 788826-011
20045361	KIT END TERMINATION6.6KV50SQMMCABLEXLPE 6.6KV END TERMINATION KIT FOR 3 CORE 50 SQ MM CU XLPE ARMORED CABLEHEAT SHRINKABLE KIT
EAKT-1642	1 PC ARMOUR EARTHING ASSEMBLY FOR PLASTIC & PAPER CABLE, MULTI-CORE WITH WIRE ARMOUR. UP TO 36 KV DIA. OVER ARMOUR: 40 - 67 MM 225798-011 Packaging unit: 5 pieces Manufacturer number: 225798-011

MXST-4331-LY01	Herstellernummer: CP0311-000
- 1*95,120,185,240 mm2 internal cable head for	XLPE Cable (36 kv)
MONI-PT100-EXE-SENSOR	Art Nr:529022-000 Pt100 temperature sensor without junction box, ATEX
PRODUCT CODE: 402R236	VOLTAGE LEVEL: MEDIUM VOLTAGE MEDIUM VOLTAGE CABLE BREAKOUT FOR 3 CORE CABLE For cables of the following cross section 3x35mm2 XLPE 3x50mm2 XLPE 3x70mm2 XLPE
PRODUCT CODE: 402R248	VOLTAGE LEVEL: MEDIUM VOLTAGE MEDIUM VOLTAGE CABLE BREAKOUT FOR 3 CORE CABLE For cables of the following cross section 3x120mm2 XLPE 3x150mm2 XLPE 3x185mm2 XLPE 3x240mm2 XLPE
LV BREAK OUT/AG VEIN SEPARATOR 502K016/S	VOLTAGE LEVEL: LOW VOLTAGE 1kV LOW VOLTAGE CABLE BREAKOUT FOR 4 CORE CABLE
LV BREAK OUT/AG VEIN SEPARATOR 502K026/S	VOLTAGE LEVEL: LOW VOLTAGE 1kV LOW VOLTAGE CABLE BREAKOUT FOR 4 CORE CABLE
LV BREAK OUT/AG VEIN SEPARATOR 502K046/S	VOLTAGE LEVEL: LOW VOLTAGE 1kV LOW VOLTAGE CABLE BREAKOUT FOR 4 CORE CABLE
PRODUCT CODE: 402R225	VOLTAGE LEVEL: MEDIUM VOLTAGE MEDIUM VOLTAGE CABLE BREAKOUT FOR 3 CORE CABLE For cables of the following cross section For cables less than 3x35mm2 MV BREAK OUT/OG VESSEL SEPARATOR
LV Transformer Bushing Insulation (Closing)	for 2500 kVA TR RAYCHEM LVBC 3150A (1600-2000-2500kVA) AG BUSH.KAP
RSFR-H 16mm	
E255532 (9mm)	
82A0111-12-9	
99M0111-12-0	
202k121-25225-0	Manufacturer number: 634051-000
222K121-25-0	Manufacturer number: 878511-000
DR-25-1/2-0-SP	
HTAT-16/4-0	Manufacturer number: NB07544001
POLJ-42/1x120-240-AW (097)	
MXSU-6131	Connection sleeve, 30kV, with screw connector for 1L plastic cable 150-300 mm ² 124108-005 Manufacturer number: 124108-005 Origin: Germany
36 kV 1x185/25 mm²	heat shrink copper cable splice
36 kV 1x240/25 mm²	heat shrink copper cable splice
M27500-22ML2T08	
TXR40-BW00-0804AI	
TXR40BW00-1005AI	MFR PN: 415359-000 571-415359-000
STXR40SJ00-1210AI	
TXR40BW00-1005AI	
STXR40BW00-0805AI	
STXR40BW00-1008AI	

STXR-40-BW00-1010AI	
55A0111-24-0	
55A0111-24-9 (AWG24)	
S1125, PART A+B	
SOLDER SLEEVE,W-W,2.7MM,D-110-41	
SPEC 55 TIN-COATED COPPER WIRE, 55A0121-24-0/9	
RAY101-4.0	
DR-25-3/8-0-SP	
202K142-25/225-0	CONN ACCESSORY, MICRO-D BACKSHELL, 31LP, 500-047M31HJM
Heat Shrink Boot, 202K142-25/225-0	
HEAT SHRINK TUBING,24MM,3:1,POLYOLEFINBLACK, ATUM-	-24/8-0
TMS-SCE-3/8-2.0-4	
RT-375-3/8-X	
POWER JUNCTION BOX, JBU-100-EP	
T-100 - TEE CONNECTION BOX, EEx FOR TH SYSTEM	
ELECTRONIC THERMOSTAT ETS-05-L2-EP	
KIT, INSULATION ENTRY: IEK-25-04	
HEAT SHRINK END SEAL, ATEX, E-06, EX-e II, IP66	
POWER JUNCTION BOX, JBU-100-EP	
16A 230V SOCKET OUTLET	
63A WELLDING SOCKET OUTLET (SWITCHED)	
Stripping Tool	
650-M27500-22ML2T08	MFR PN: M27500-22ML2T08 44AM1121-22-9/96-9 P TE Connectivity Multi-Conductor Cables RoHS: Compliant ECCN: EAR99 / US HTS: 8544493080
12 KV 1X 70-120 MM	
12 KV 1X 240-400 MM	
6 KV 3X 70-120 MM	
6KV 3X 150-240 MM	
jbu-100	
1x120/16 INTERNAL TYPE 36 KV XLPE CABLE HEAD	
36 KV 1x120/16 XLPE EK MUFU	
BPTM 30/12	
Heat shrink tubing, 30kV, for Busbar insulation. 1/2U: 22-38mm	

BPTM-30/12-A/U-4(S30)	Diameter 13.5-25mm 723955-000
D-110-0090	H/S-PARA 10+ GRY
NGC-40-PTM	
36KV 3X240mm2 HEAT SHRINKABLE	INTERNAL CABLE HEAD (ARMORED)XLPE EPKT 36D3XIH2-TR01 3
36KV 1X240mm2 HEAT SHRINKABLE	INTERNAL CABLE HEAD (ARMORED)XLPE EPKT 36D1XI-TR01 SMOE-1-AE59-TR/01 ARMOR EARTHING KIT WILL BE PURCHASED TOGETHER WITH EPKT 36D1XI-TR01 1X240
EPKT 17C3XIH2-TR01 3X240	6-10KV 3X240 INTERNAL CABLE HEADER ARMORED COPPER XLPE DIN 46235 COMPRESSION TYPE WITH LUGS INCLUDED EPKT 17C3XIH2-TR01 3X240
EPKT 17C3XIH2-TR01 3X185	6-10KV 3X185 INTERNAL CABLE HEAD Armored COPPER XLPE DIN 46235 COMPRESSION TYPE WITH LUGS INCLUDED EPKT 17C3XIH2-TR01 3X185
EPKT 17C3XIH2-TR01 3X150	6-10KV 3X150 INTERNAL CABLE HEAD Armored COPPER XLPE DIN 46235 COMPRESSION TYPE WITH LUGS INCLUDED EPKT 17C3XIH2-TR01 3X150
EPKT 17C3XIH2-TR01 3X120	6-10KV 3X120 INTERNAL CABLE HEADER ARMORED COPPER XLPE DIN 46235 COMPRESSION TYPE WITH LUGS INCLUDED EPKT 17C3XIH2-TR01 3X120
EPKT 17C3XIH2-TR01 3X95	6-10KV 3X95 INTERNAL CABLE HEAD Armored COPPER XLPE DIN 46235 COMPRESSION TYPE WITH LUGS INCLUDED EPKT 17C3XIH2-TR01 3X95
EPKT 17B3XIH2-TR01 3X70	6.3 KV 3X70 INTERNAL CABLE HEADER ARMORED COPPER XLPE DIN 46235 COMPRESSION TYPE WITH LUGS INCLUDED EPKT 17B3XIH2-TR01 3X70
EPKT 17B3XIH2-TR01 3X50	6.3 KV 3X50 INTERNAL CABLE HEADER ARMORED COPPER XLPE DIN 46235 COMPRESSION TYPE WITH LUGS INCLUDED EPKT 17B3XIH2-TR01 3X50
6,3KV 1X300mm2 HEAT SHRINK	INTERNAL CABLE HEAD (ARMORED)XLPE EPKT 17D1XI-TR01 SMOE-1-AE58-TR/01 ARMOR GROUNDING KIT WILL BE PURCHASED TOGETHER WITH EPKT 17D1XI-TR01-1X300
6-10KV 1X240mm2 HEAT SHRINKABLE	INTERNAL CABLE HEAD (ARMORED)XLPE EPKT 17C1XI-TR01 SMOE-1-AE58-TR/01 ARMOR GROUNDING KIT WILL BE PURCHASED TOGETHER WITH EPKT 17C1XI-TR01-1X240
6,3KV 1X185mm2 HEAT SHRINK	INTERNAL CABLE HEAD (ARMORED)XLPE EPKT 17C1XI-TR01 SMOE-1-AE58-TR/01 ARMOR GROUNDING KIT WILL BE PURCHASED TOGETHER WITH EPKT 17C1XI-TR01-1X185
6,3KV 1X150mm2 HEAT SHRINK	INTERNAL CABLE HEAD (ARMORED)XLPE EPKT 17C1XI-TR01 SMOE-1-AE58-TR/01 ARMOR GROUNDING KIT WILL BE PURCHASED TOGETHER WITH EPKT 17C1XI-TR01-1X150
6,3KV 1X120mm2 HEAT SHRINK	INTERNAL CABLE HEAD (ARMORED)XLPE EPKT 17C1XI-TR01 SMOE-1-AE58-TR/01 ARMOR GROUNDING KIT WILL BE PURCHASED TOGETHER WITH EPKT 17C1XI-TR01-1X120
6,3KV 1X95MM2 HEAT SHRINKABLE	INTERNAL CABLE HEAD (ARMORED)XLPE EPKT 17C1XI-TR01 SMOE-1-AE58-TR/01 ARMOR GROUNDING KIT WILL BE PURCHASED TOGETHER WITH EPKT 17C1XI-TR01-1X95
6,3KV 1X70MM2 HEAT SHRINKABLE	INTERNAL CABLE HEAD (ARMORED)XLPE COPPER EPKT 17B1XI-TR01 SMOE-1-AE57-TR/01 ARMOR EARTHING KIT WILL BE PURCHASED TOGETHER WITH EPKT 17B1XI-TR01-1X70
36KV 1X240 ARMORED COPPER XLPE	SMOE-63486-WA1-TR/01 1X240
6KV 3X240 ARMORED COPPER XLPE	
RAYGEL-PLUS-2 (CH6881-000)	

Rsti6855	
Cwt-7-W122-9	
At-Ts-14	
Mxsu - 6141 Jointing System (Mxsu) - 36 Kv	
Tfer-3/8-X-Stk	
202k121	
Ø18 İzolasyon	
Awg12	
Awg16	
202k132-25/225-0	
Gpmb95	
Cv-1981-42v1000w-Npmk2(Excv1981-42v-960w)	
Srfr-10/6-8	
Emkj 2211 - Cee01 Heat Excellence Flexib Cable	
Ø20 İzolasyon	
Crn-3/16-0-Stk	
Cv1983-220v3060w	
Cv1983-220v-2260w	
Crn-8-2	
41830402	
Raychem Emkj-2201	CABLE CONNECTION
Ssbtt-03	
Epki2081ng	
202k132	
469145-000	
Crn-6-4	
Rsti5855	
Ø22 İzolasyon	
Emkj 2201 - Cee01 Heat Excellence Flexib Cable	
Rw-175-3/64-X	with heat Narrowed Makaron
Ø8 İzolasyon	
Rsti5853	
Crn-4-8	
Ø16 İzolasyon	

Ø14 İzolasyon	
Cpa 02	
Xaga 500-100/25-460-Int	
104-0033	
Ø6 İzolasyon	
Mxsu - 6121 Jointing System (Mxsu) - 36 Kv	
Ø10 İzolasyon	
202k121-25/225-0	Item number: 634051-000 Manufacturer: TE Connectivity / Raychem Brand Description: 202K121-25 / 225-0
Rsti5851	
Ssbt-04	
Ø4 İzolasyon	
Rsti5854	
Smoe - 62453 Heat Excellence Flexib Cable	
202k232-25/225-0	Special procurement no exchange / cancellation.
Ø12 İzolasyon	
Ixsu-F3141	
5btv2-Cr	
Crm-2-4	